

# Tork Xpress® Extra Soft Multifold Hand Towel

Colour: White



# **Benefit**

- QuickDry: dries hands quickly and thoroughly
- Extra soft: gentle on the hands with a high quality feel
- Large towel and one at-a-time dispensing:
  Reduced consumption and increased
  hygiene
- •Decor embossing with Leaf pattern: designed to make a great impression
- Tork Carry Pack for easy handling and disposal





# **Product properties**

Article	System	Layers	Print	Embossing	Colour
100297	H2 - Interfold towel system	2	Yes	Yes	White

## **Description**

The Tork Xpress® Hand Towel system for Multifold hand towels is suitable for environments that demand both comfort and hygiene - such as restaurants, offices and healthcare facilities

# Shipping data

## Consumer unit

EAN	7322540124262	
Pieces	100	
Material	Banderole	
Height	130 mm	
Width	85 mm	
Length	212 mm	
Volume	2.3 dm3	
Net weight	296 g	
Gross weight	302 g	

# Transport unit

EAN	7322540124279	
Pieces	2100	
Consumer units	21	
Material	Plastic	
Height	212 mm	
Width	390 mm	
Length	595 mm	
Volume	49.2 dm3	
Net weight	6.21 kg	
Gross weight	6.43 kg	

## **Environmental**

#### Content

Chemical Pulp

Chemicals

#### Material

Virgin fibre

Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

#### Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye = if coloured

Fixing agents

Glue = if used

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

**Food Contact** 

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by ISEGA. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

Environmental label = Ecolabel

This product is certified according to FSC

Date of issue 2013-09-25

Revision date

SCA Hygiene Products AB, 405 03 Göteborg, SE

#### **Production**

Material produced and converted at Kostheim mill, Germany, certified according to ISO 9001:2000, ISO 14001 and EMAS

### **Destruction**

This product is mainly used for personal hygiene and can be collected together with household waste.