



# Tork Soft Conventional Toilet Roll - 3 ply

Colour: White



## Benefit

- Soft tissue with high brightness
- Easy Open feature
- Visually appealing



250



29.5 m



3



## Product properties

Article	System	Roll Length	Roll Diameter	Number of Sheets	Core Inner Diameter	Layers	Embossing	Colour
110316	T4 - Conventional toilet system	29.5 m	11.7 cm	250	4.2 cm	3	Yes	White

## Description

High quality conventional toilet rolls suitable for all types of washrooms

## Shipping data

### Consumer unit

EAN	7310791114828
Pieces	8
Material	Plastic
Height	100 mm
Width	225 mm
Length	430 mm
Volume	9.7 dm <sup>3</sup>
Net weight	1075 g
Gross weight	1127 g

### Transport unit

EAN	7310791114811
Pieces	72
Consumer units	9
Material	Plastic
Height	300 mm
Width	427 mm
Length	676 mm
Volume	86.6 dm <sup>3</sup>
Net weight	9.68 kg
Gross weight	10.20 kg



# Tork Soft Conventional Toilet Roll - 3 ply

Colour: White

---



# Tork Soft Conventional Toilet Roll - 3 ply

Colour: White

---

## Environmental

### Content

The fibre composition in the product is virgin fibres

### Material

Virgin fibre

Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Dry strength agent

Dye

Fixing agents

Fluorescent whitening agent

Glue

Softeners

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control



# Tork Soft Conventional Toilet Roll - 3 ply

Colour: White

---

Retention aids

Broke treatment chemicals

Drainage aid

Packaging

Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel. This product is approved for Nordic ecolabel.

Date of issue 2013-09-26

Revision date

SCA Hygiene Products AB, Bäckstensgatan, 405 03 Göteborg.

## **Production**

This product is produced in Mannheim mill, DE, certified according to ISO 9001, ISO 14001 and EMAS.

## **Destruction**

This product is suitable to be taken care of in the normal sewage system of the community.