

Colour: White



Benefit

•Extra long roll: fewer refills

496	69.44 m	2
Contract of the second	Energy Control	

Product properties

Article	System	Roll Length	Roll Diameter		Core Inner Diameter	Layers	Print	Embossing	Colour
120261	T4 - Conventional toilet system	69.44 m	12 cm	496	3.8 cm	2	No	Yes	White

Description

Good quality conventional toilet rolls suitable for all types of washrooms

Shipping data

TOR

Consumer unit

EAN	7310791104461
Pieces	4
Material	Plastic
Height	198 mm
Width	117 mm
Length	240 mm
Volume	5.6 dm3
Net weight	924 g
Gross weight	954 g

Transport unit

EAN	7310791104478
Pieces	24
Consumer units	6
Material	Plastic
Height	198 mm
Width	240 mm
Length	702 mm
Volume	33.4 dm3
Net weight	5.54 kg
Gross weight	5.77 kg



Environmental

Content

Recycled fibres Chemicals

Material

Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are: Dry strength agent If coloured = Dye Fixing agents Fluorescent whitening agent Glue Softeners



Colour: White

The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid

Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label Approved for EU ecolabel.

Date of issue 2013-09-26 Revision date

SCA Hygiene Products AB, 405 03 Göteborg, SE

Production

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001.

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.