



Benefit

- •High capacity: less maintenance
- •Economical roll length
- •Good quality tissue
- •Embossed for extra bulk
- •Printed with nice grey leaf design that will enhance your washroom.



Product properties

Article	System	Roll Length	Roll Diameter	Number of Sheets	Core Inner Diameter	Layers	Embossing	Colour
120272	T1 - Jumbo toilet system	360 m	26 cm	1800	5.9 cm	2	Yes	White

Description

The Tork jumbo system (T1) is suitable for high traffic locations.



Shipping data

Consumer unit

EAN	7322540472110
Pieces	1
Height	97 mm
Width	260 mm
Length	260 mm
Volume	6.6 dm3
Net weight	1173 g
Gross weight	1191 g

Transport unit

EAN	7322540472127
Pieces	6
Consumer units	6
Material	Plastic
Height	291 mm
Width	260 mm
Length	520 mm
Volume	39.3 dm3
Net weight	7.04 kg
Gross weight	7.20 kg



Environmental

Content

Recycled fibres Chemicals

Material

Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are: Dry strength agent Dye Fixing agents Fluorescent whitening agent Glue Softeners



The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid

Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel Approved and labeled according to Nordic ecolabel and EU ecolabel.

Date of issue 2013-09-25 Revision date

SCA Hygiene Products AB, 405 03 Göteborg, SE

Production

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001.

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.